


Hand Pallet Truck 5,000 lb Capacity

CAT® Lift
Trucks



Durable Hand Pallet Truck

From the articulating steer axle to the ergonomic handle and trigger, this truck is designed to help maximize productivity.



Fork Design

Steel entry brackets combine with rollers for durability and ease of entry, while solid-steel pushrods on the strong, reinforced C-channel forks help resist twisting during heavy loads.

Ergonomic Handle

Operators will appreciate a neutral setting for easy maneuvering, a spring that returns the handle to an upright position when released, and a durable, comfortable ergonomic design.



Solid Frame

Engineered from thick homogenous steel, the frame includes temperature-controlled robotic welds to help maintain material strength and an epoxy coating to help protect it in tough applications.





● Articulating Steer Wheels

Steer and load wheel constructions feature low, rolling-resistance polyurethane. A ring-type articulating steer axle helps keep both steer wheels securely on the ground.



● Cast Iron Pump


The one-piece, modular pump features a controlled lowering rate valve and chrome-plated piston. Polyurethane pump seals at high-pressure points help ensure loads get off the ground quickly. The standard hand pallet truck pump is warranted for two years.

SPECIFICATIONS

Model Number	Description	(A) Width	(B) Fork Length	(C) Lowered Height	(D) Raised Height	Capacity	Push Rods
A000002748	Standard	27	48	2.96 in	7.6	5000 lb	Solid
A000002742	Standard	27	42	2.96 in	7.6	5000 lb	Solid
A000002736	Standard	27	36	2.96 in	7.6	5000 lb	Solid
A000002048	Standard	20.5	48	2.96 in	7.6	5000 lb	Solid
A000002042	Standard	20.5	42	2.96 in	7.6	5000 lb	Solid
A000002036	Standard	20.5	36	2.96 in	7.6	5000 lb	Solid
A000005522	Standard (Steel Wheel)	27	48	2.96 in	7.6	5000 lb	Solid

Model Number	Description	(A) Width	(B) Fork Length	(C) Lowered Height	(D) Raised Height	Capacity	Push Rods
A000002750	Low Profile (2 in)	27	48	2 in	6.5	5000 lb	Solid
A000002751	4-way Low Profile	33	48	2 in	6.5	5000 lb	Solid
A000002749	Galvanized	27	48	2.96 in	7.6	5000 lb	Tube
A000009223	Galvanized	20.5	48	2.96 in	7.6	5000 lb	Tube
A000009224	Galvanized/Stainless Steel	20.5	45	3.2 in	7.6	4400 lb	Tube
A000009225	Stainless Steel	20.5	45	3.2 in	7.6	4400 lb	Tube
A000009436	Hi-Lift Electric	21	45	3.2 in	31.5	2200 lb	Tube
A000009437	Hi-Lift Electric	27	45	3.2 in	31.5	2200 lb	Tube
A000009434	Hi-Lift Manual	21.3	45	3.34 in	31.5	2200 lb	Tube
A000009435	Hi-Lift Manual	27	45	3.34 in	31.5	2200 lb	Tube

Special Application Hand Pallet Trucks have a one year pump warranty and do not have an articulating steer axle.





Durability And Support

Cat lift truck dealers put customer needs first, with the most comprehensive customer support programs in the industry.

Unlimited Hours Warranty covers parts and labor for one year, regardless of service hours.

Parts Fast or Parts Free Guarantee ensures next-business-day delivery of parts for all brands of lift trucks or they are free, including freight.

Free Loaner Service Guarantee provides a lift truck until the repair is done if your lift truck is not repaired right the first time and within the quoted time.

Contact your Cat lift truck dealer for complete terms and conditions of these guarantees.



Cat Lift Trucks offers an extensive range of products and services. Your Cat lift truck dealer can provide options and additional visual and audible warning devices geared toward your specific applications and requirements. Operator training programs are also available to boost productivity and to help reduce the potential for product damage and personal injury.

Your Cat lift truck dealer can also provide a variety of financing and leasing options to suit the needs of your business.